

**A001. Issuance and Applicability**

HQ Control: 11/16/04  
HQ Revision: 050

- a. These operations specifications are issued to Kentucky Air Center, a Domestic Repair Station, pursuant to Title 14 Code of Federal Regulations (CFR) Section 145.53. The repair station certificate holder shall conduct operations in accordance with CFR Part 145 and these operations specifications.


The certificate holder's address:

Fixed Location:  
1929 Isaac Shelby Dr.  
Shelbyville, KY 40065

- b. The holder of these operations specifications is the holder of Certificate Number UKOR902L and shall hereafter be referred to as the certificate holder.
- c. These operations specifications are issued as part of this Repair Station Certificate, and are in effect as of the Date Approval is effective. This certificate and operations specifications shall remain in effect until the domestic repair station certificate is surrendered, suspended, or revoked.
- d. The repair station specified on these operations specifications performs maintenance and/or alteration of aircraft and/or aeronautical products to be installed on aircraft under the terms and conditions of a Bilateral Aviation Safety Agreement and associated Maintenance Implementation Procedures between the Federal Aviation Administration and a Foreign National Aviation Authority identified in Advisory Circular 145-8, as revised.

Delegated authorities:

- 
1. Issued by the Federal Aviation Administration.
  2. Support information reference:
  3. These Operations Specifications are approved by direction of the Administrator.

  
Fisher, William L.

Principal Maintenance Inspector

CE17

4. Date Approval is effective: 7/23/08 Amendment Number: 7
5. I hereby accept and receive the Operations Specifications in this paragraph.

  
Ferguson, Roy G.,

President

Date: 7/23/08

**A002. Definitions and Abbreviations**

**HQ Control:** 11/16/04  
**HQ Revision:** 050

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in the Title 14 Code of Federal Regulations (CFR) Regulations and Title 49 United States Code as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

**Bilateral Aviation  
Safety Agreement  
(BASA)**

An executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.

**Certificate Holder**

In these operations specifications the term "certificate holder" shall mean the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.

**CFR**

Code of Federal Regulations

**Class rating**

As used with respect to the certification, ratings, privileges, and limitation of aircraft within a category having similar operating characteristics.

**Domestic Repair  
Station**

A certificated repair station located in the United States.

**Exemption**

An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of CFR 14, Part 11.

**FAA Accountable  
Manager**

A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

**FAA Form 8000-4-1**

The FAA Form 8000-4-1 has been replaced with the form contained within this operations specifications application (OPSS) for the generation of the 14 CFR Part 145 Repair Station Operations Specifications.

**Foreign Repair Station**

A certificated repair station located outside of the United States.

**Geographic  
Authorization**

An approval provided to a foreign repair station to perform maintenance support under contract for a U.S. air carrier, or operator of U.S. - registered aircraft under 14 CFR Part 129, at a location other than the repair station facility. A geographic authorization is issued by the FAA to respond to the need of a U.S. air carrier or Part 129 foreign operator for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.

**EASA**

European Aviation Safety Agency

---

<b><u>EASA Accountable Manager</u></b>	The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full member Authority.
<b><u>Limited Rating</u></b>	Rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.
<b><u>Limited Ratings - Specialized Services</u></b>	Rating issued for a special maintenance function when the function is performed in accordance with a specification or data acceptable to the Administrator.
<b><u>Line Maintenance</u></b>	Any unscheduled maintenance resulting from unforeseen events; or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.
<b><u>Maintenance</u></b>	The inspection, overhaul, repair, preservation, and the replacement of parts, but excludes preventive maintenance.
<b><u>Maintenance Implementation Procedures (MIP)</u></b>	Procedures for implementing the provisions of a BASA that apply to maintenance.
<b><u>MOE</u></b>	Maintenance Organization Exposition - Pertains to European Aviation Safety Agency member countries that use an MOE in place of a Repair Station Manual and a Quality Control Manual.
<b><u>Preventive Maintenance</u></b>	As defined in Appendix A subparagraph (c) of 14 CFR Part 43.
<b><u>QCM</u></b>	Quality Control Manual
<b><u>RSM</u></b>	Repair Station Manual
<b><u>Substantial Maintenance</u></b>	Any activity involving a C-check (routine airframe maintenance) or greater maintenance; any engine maintenance requiring case separation or teardown; and/or major alterations or major repairs performed on airframes, engines, or propellers.

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.

Cox, John W.



Principal Maintenance Inspector


SO01

3. Date Approval is effective: 6/6/06

Amendment Number: 4

4. I hereby accept and receive the Operations Specifications in this paragraph.

Edington, Michael



FAA Accountable Manager, 145

Date: 6/6/06

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	11/16/2004	07/23/2008	7
002 Definitions and Abbreviations	11/16/2004	06/06/2006	4
003 Ratings and Limitations	01/30/2004	03/22/2010	26
004 Summary of Special Authorizations and Limitations	09/23/1998	03/13/2008	7
007 Designated Persons	12/19/2006	03/24/2010	10
449 Antidrug and Alcohol Misuse Prevention Program	01/22/2004	03/12/2008	3

**A003 . Ratings and Limitations**

**HQ Control: 01/30/2004**

**HQ Revision: 010**

The Certificate Holder is authorized the following Ratings and/or Limitations:

**Class Ratings**

None authorized

**Limited Ratings**

<b><u>Rating</u></b>	<b><u>Manufacturer</u></b>	<b><u>Make/Model</u></b>	<b><u>Limitations</u></b>
Aircraft Lavatory Systems	Weber		
	Monogram		
	Western Gear		
	Waste Water Draw Mast	Boeing Model 65-32603-1	
	Rogerson	50000 series	
Aircraft Lavatory Heaters	General Electric		
Aircraft Faucet Systems	Adam's Rite/Subre Faucet Systems	Adam's Rite	
Aircraft Valve	Sunstrand		
	Allen Aircraft		
	Koehler		
	HR Textron		
	Parker		
	Kaiser		
	Crissair		
	Janitrol		

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
Aircraft Lighting	General Control		
	Airesearch		
	Bobrick		
	DeLaval	Part Numbers 9036-5-2 & M825-3	
	Valcor		
	I. C. Carter		
	Teledyne Republic		Drawing No. 6-2762-9 as revised.
	Whittaker Control		
	Circle Seal Controls	P141 Series	
	Grimes		
	Hoskins		
	Luminator Lights		
	Honeywell Light Assembly	P/N AG113B1 and AG113C1	
	Douglas Light Control Panels	P/N 5956890 - Series	
	WEMAC Light	Model S 3285, 3285-3	
	Bell Industries Light	(Manufactured by Farwest)	
	B.F. Goodrich	P/N GE 16720-010, GE 16720-1, GE 16720-2, GE 16720-6	
Boeing Light	P/N 67200017-1, 2, 3, and 4		
Honeywell Recognition Light	P/N AG1013AA02		
Honeywell Anti- Collision Beacon	P/N AG1010AA02		
Honeywell Anti- Collision Beacon	P/N AG1010AA03		

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
	Teletflex-Syneravia Taxi Light	P/N 4077521, 4189898, 4223306, 4236564.	
	Teletflex LOGO Lights	P/N 4300181, 4300197, 4300181A, 4300197A, 4322252, 4322245, 4300167, 4300174, 4318746, 4318769, 4322275, 4322268.	
	Signet Scientific Light	Series 90020, 90010-1, 90010-2	
	Soderberg Light	Series S1356A, S1356B, S1653	
	Koito Map Lights	P/N 81000 Series	
Devore	Logo Light	P/N 00033032-3, -15, 101	
Aircraft Switches	Custom Components		
	Airesearch		
	Korry		
	Eaton/Cutler- Hammer		
Tachometer Generator	General Electric	Models 2CM9AAA6, 2CM9AAC6, 2CM9AAH4, 2CM9AAV6, 2CMAAZ6, 2CM9ABE6, 2CM9ABH7, SCM9ABK7, 2CM9ABY7, 2CM9ABZ7, 2CM9ACE7, 2CM9ACF8, 2CM9ACH7, 2CM9ADE8, 2CM9ADB9, 2CM9ADT6	
Aircraft Electrical Actuators	Parker		
	General Design		
	J.C. Carter		
	Mitsubishi	AV31 Series	
	Shimadzu Corp	732 and 734 series	
Aircraft Control Shakers	Safe Flight		
Aircraft windshield	ALCO		

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
Wipers			
Pitot Tubes	Rosemount		
Air Compressor Pumps	CEF Industries		
Electric Motors	CEF Industries		
Aircraft Venturi's	Airesearch		
Stanchion Assembly	Boeing	P/N 65-67221-2, -4, -5, -6, -13, -14, -15, -16, -21, -22, -25, -26, -29, -30, -33, -35, -36, -37, -40, -41, -42, -43, -47 through -62	ref. Boeing manual P/N 25-56-43.
Pressure Service Cap	Parker Hannifin	P/N 1327-566098	ref. Parker Hannifin maintenance and overhaul manual P/N 28-1-1.
Power Supply	Grimes Power Supply	P/N 60-1321-1, 60-1321-1LB, 60-1321-5, 60-1321-5LB, 60-1321-7, 60-1321-7LB, 60-0304-31, -33, -51.	
	Grimes Rechargeable Battery Supply	P/N 60-1177-5, 60-1177-7, 60-1177-9	
	Grimes Rechargeable Battery Power Supply	P/N 60-1254-1	
APU Starter	Airesearch	P/N 519858 Series, 3605812 Series, 372697 Series, 375322 Series.	
Drain Cap Assemblies	Shaw Aero Devices	P/N 331 Series, 332 Series, ANA 10101000 Series	
Oven Control Modules	Sell	8101 Series, 7110 Series, 8201 Series	
Oven Controller	T.I.A. Electric Company Inc. BE Aerospace		
Oven, Convection and Warming	T.I.A. Electric Company Inc. BE Aerospace		

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
	Sell	8201 Series, 8102 Series, 8101 Series, 8054 Series, 8001 Series, 8021 Series	
Beverage Maker/Water Boiler Assemblies	T.I.A. Electric Company Inc.  BE Aerospace Rumbold Midwest Aircraft Products Company	P/N HE62190, HE62191, 64753 Series, D10120 Series	
Beverage Maker Rail Assembly	BE Aerospace		
Water Pump	BE Aerospace		
Lighting	DME Corp.	P/N EL-104A, EL-104B	
Coffee Maker	Aerolux LTD, Driessen	P/N AL-EX15-200E Series P/N DLH1834	
Drain Mast	Boeing	P/N 417T2093 Series, 417T2117 Series, 478W1610 Series	

Limited Ratings - Specialized Services

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
None Authorized.		



**A004. Summary of Special Authorizations and Limitations**

**HQ Control: 9/23/1998**  
**HQ Revision: 010**


**a. The certificate holder, in accordance with the reference paragraphs, is authorized to:**

	<u>Reference Paragraphs</u>
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449

**b. The certificate holder is *not authorized and shall not:***

Use Exemptions.	A005
Use an approved electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
Perform maintenance with NAA ratings where the scope of work is authorized by a BASA/MIP.	A060
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107

1. Issued by the Federal Aviation Administration.
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.

  
Viterna, William G.

Principal Avionics Inspector

CE17

4. Date Approval is effective: 3/13/08

Amendment Number: 7

5. I hereby accept and receive the Operations Specifications in this paragraph.

  
Edington, Michael

Chief Inspector

Date: 3/13/08

**A007 . Designated Persons**

**HQ Control: 12/19/2006**

**HQ Revision: 030**

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

**Table 1 – Designated Persons to Apply for and Receive Authorizations**

Title	Name	Parts Authorized
FAA Accountable Manager, 145 / President	Ferguson, Roy G.,	A,D
Chief Inspector	Edington, Michael	A,D

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

**Table 2 – Designated to Receive INFO Messages**

Name	Email Address	Telephone No.	Type of Information to Receive
Roy Ferguson	rferguson@kentuckyaircenter.com	502-633-1992	ALL



TABLE OF CONTENTS

PART D - Additional Maintenance Authorizations & Limitations

		HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
100	Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/04	06/06/06	4
107	Line Maintenance Authorization	11/16/04	(Not used)	

D100. Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)      HQ Control: 11/16/04  
HQ Revision: 050


- a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

Table 1

Work Authorized	Repair Stations Manual References	Quality Control Manual References
All Ratings Field	Page 25, Section IV	

- b. The certificate holder may not perform continuous operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. Line Stations. Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.

1. Issued by the Federal Aviation Administration.  
2. These Operations Specifications are approved by direction of the Administrator.

Cox, John W.  Principal Maintenance Inspector      SO01

3. Date Approval is effective: 6/6/06      Amendment Number: 4  
4. I hereby accept and receive the Operations Specifications in this paragraph.

Edington, Michael  FAA Accountable Manager, 145      Date: 6/6/06

**A449. Antidrug and Alcohol Misuse Prevention Program**

**HQ Control:** 01/22/04  
**HQ Revision:** 000

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 sightseeing operation as defined by 14 CFR §135.1(c).
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 121 appendices I and J and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

**Table 1**


<b>Location &amp; Telephone of Antidrug and Alcohol Misuse Prevention Program Records:</b>	
<b>Telephone Number:</b>	A1 (502)633-1992
<b>Address:</b>	1929 Issac Shelby Drive
<b>Address:</b>	N/A
<b>City:</b>	Shelbyville
<b>State:</b>	KY
<b>Zip code:</b>	40065

d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
  - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
  - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has fewer than 50 safety-sensitive employees.


1. Issued by the Federal Aviation Administration.
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.

  
Viterna, William G.

Principal Avionics Inspector

CE17

4. Date Approval is effective: 3/12/08 Amendment Number: 3
5. I hereby accept and receive the Operations Specifications in this paragraph.

  
Ferguson, Roy G.,

President

Date: 3/12/08